

Fiche de données produit

HALOSTAR STARLITE 2000 W 120 V G4

HALOSTAR STARLITE | Lampes halogènes très basse tension, culot à broches




Fiche de données produit

Fiche technique

Données photométriques

Teinte de couleur (désignation)	Warm White
Flux lumineux	300 lm

Dimensions & poids



Longueur totale	33.00 mm
Distance culot / foyer lumineux (LCL)	22,0 mm
Poids du produit	1.1 g

Donnée produit supplémentaire

Sans mercure	Yes
Code EAN de remplacement	4050300335162

Capacités

Position de fonctionnement	Any
----------------------------	-----

Certificats & Normes

Classe d'énergie efficace	G
Consommation d'énergie	20.00 kWh/1000h

Classements spécifiques à chaque pays

Système codage internationale de lampe	HSGST/C/UB-20-12-G4-10/22
--	---------------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022

Fiche de données produit

Primary Article Identifier	4058075094215
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Avertissement

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany