

Fiche de données produit

HALOSTAR OVEN 5 W 12 V G4

HALOSTAR OVEN | Lampes halogènes très basse tension, culot à broches, pour four




Fiche de données produit

Fiche technique

Données photométriques

Teinte de couleur (désignation)	Warm White
Flux lumineux	55 lm

Dimensions & poids



Longueur totale	33.00 mm
Distance culot / foyer lumineux (LCL)	21,5 mm
Poids du produit	1.12 g

Donnée produit supplémentaire

Sans mercure	Yes
Notes bas de page util. uniquem. produit	Heat-resistant up to 300°C Lamp suitable for oven with high temperature self cleaning (Lamps must be switched off! Max. ambient temperature 450 °C) For use in shielded luminaires only

Capacités

Position de fonctionnement	Any
----------------------------	-----

Certificats & Normes

Classe d'énergie efficace	G
Consommation d'énergie	5.00 kWh/1000h

Classements spécifiques à chaque pays

Système codage internationale de lampe	HSGT/C/UB-5-12-G4-10/21,5
--	---------------------------

Environmental information

Fiche de données produit

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4050300308029
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Avertissement

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany