

Lampes studio mono culot



Domaines d'application


- Film professionnel et travail TV
- Scènes de théâtre et de concert
- Eclairage pour l'événementiel

Caractéristiques produit


- Fonctionnement sur tension secteur : 120 V | 230 V | 240 V
- Température de couleur : 3 000 K (avec durée de vie plus longue)
- Température de couleur : 3 200 K (pour film professionnel et travail TV)




Fiche de données gamme de produits




341357_HALOGEN STUDIO LAMP 64670




341359_HALOGEN STUDIO LAMP 64673




341361_HALOGEN STUDIO LAMP 64716



339603_HALOGEN STUDIO LAMP 64744




339607_HALOGEN STUDIO LAMP 64756



341116_HALOGEN STUDIO LAMP 93734


Fiche de données gamme de produits




339605_HALOGEN STUDIO LAMP 64754



339927_HALOGEN STUDIO LAMP 64777, 64787, 64796



341112_HALOGEN STUDIO LAMP 64788




339929_HALOGEN STUDIO LAMP 64789



339931_HALOGEN STUDIO LAMP 64805



340665_HALOGEN STUDIO LAMP 64815



341114_HALOGEN STUDIO LAMP 64818

Fiche de données gamme de produits

Fiche technique

Description produit	Informatio n produit	Données électriques	Dimensions & poids			
	Référence de commande	Tension nominale	Diamètre	Longueur	Diamètre filament	Longueu r filament
64670 500 W 230 V	64670	230 V	23,0 mm	90,0 mm	11,0 mm	
64670 500 W 240 V	64670	240 V	23,0 mm	90,0 mm	11,0 mm	
64673 300 W 230 V	64673	230 V	18,0 mm	90,0 mm	13,0 mm	
64673 300 W 240 V	64673	240 V	18,0 mm	90,0 mm	13,0 mm	
64674 500 W 230 V	64674	230 V	18,0 mm	90,0 mm	18,0 mm	
64674 500 W 240 V	64674	240 V	18,0 mm	90,0 mm	18,0 mm	
64678 800 W 230 V	64678 800W 230V	230 V	19,0 mm	101,0 mm	13,0 mm	
64680 500 W 230 V	64680 A1244 500	230 V	22,0 mm	74,9 mm	10,0 mm	
64680 500 W 240 V	64680 A1244 500	240 V	22,0 mm	74,9 mm	10,0 mm	
64716 600 W 230 V	64716 GKV 600W	230 V	19,0 mm	101,0 mm	13,0 mm	
64716 600 W 240 V	64716	240 V	190 mm	1010 mm	13,0 mm	
64717 650 W 230 V	64717	230 V	23,0 mm	90,0 mm	33,0 mm	
64717 650 W 240 V	64717	240 V	230 mm	900 mm	33,0 mm	
64718 650 W 230 V	64718	230 V	23,0 mm	90,0 mm	10,0 mm	
64718 650 W 240 V	64718 T/27 GCT	240 V	23,0 mm	90,0 mm	10,0 mm	
64719 650 W 230 V	64719	230 V	26,0 mm	110,0 mm	11,0 mm	
64720 650 W 230 V	64720	230 V	26,0 mm	110,0 mm	17,0 mm	
64721 650 W 230 V	64721	230 V	26,0 mm	140,0 mm	17,0 mm	
64743 1000 W 120 V	64743 FEL 1000W	120 V	20,0 mm	101,0 mm	24,4 mm	
64744 1000 W 230 V	64744	230 V	26,0 mm	110,0 mm	15,0 mm	
64744 1000 W 240 V	64744	240 V	26,0 mm	110,0 mm	15,0 mm	
64745 1000 W 230 V	64745 CP/70 100	230 V	26,0 mm	110,0 mm	15,0 mm	13,00 mm
64745 1000 W 240 V	64745	240 V	26,0 mm	110,0 mm	15,0 mm	
64747 1000 W 230 V	64747 CP/71 FKJ	230 V	26,0 mm	140,0 mm	15,0 mm	13,00 mm
64747 1000 W 240 V	64747	240 V	26,0 mm	140,0 mm	15,0 mm	
64752 1200 W 230 V	64752T/29 FWS 12	230 V	27,0 mm	125,0 mm	15,0 mm	
64752 1200 W 240 V	64752T/29 FWS 12	240 V	27,0 mm	125,0 mm	15,0 mm	
64754 1200 W 230 V	64754	230 V	27,0 mm	125,0 mm	15,0 mm	
64756 1200 W 230 V	64756 CP/93 120	230 V	26,0 mm	140,0 mm	15,0 mm	
64777 2000 W 230 V	64777	230 V	35,0 mm	175,0 mm	19,0 mm	

Fiche de données gamme de produits

Description produit	Informatio n produit	Données électriques	Dimensions & poids			
	Référence de commande	Tension nominale	Diamètre	Longueur	Diamètre filament	Longueu r filament
64787 2000 W 230 V	64787 CP/75 200	230 V	35,0 mm	160,0 mm	19,0 mm	
64788 2000 W 230 V	64788 CP72 FTM	230 V	35,0 mm	145,0 mm	19,0 mm	
64788 2000 W 240 V	64788 CP/72 200	240 V	35,0 mm	145,0 mm	19,0 mm	
64789 2000 W 230 V	64789 CP/73 FKK	230 V	35,0 mm	210,0 mm	19,0 mm	
64789 2000 W 240 V	64789	240 V	35,0 mm	210,0 mm	19,0 mm	
64796 2500 W 230 V	64796	230 V	35,0 mm	175,0 mm	19,0 mm	
64805 5000 W 230 V	64805	230 V	60,0 mm	279,0 mm	33,0 mm	26,00 mm
64805 5000 W 240 V	64805	240 V	61,0 mm	279,0 mm	33,0 mm	
64815 10000 W 230 V	64815	230 V	80,0 mm	380,0 mm	35,0 mm	
64818 20000 W 230 V	64818	230 V	100,0 mm	550,0 mm	50,0 mm	
93723 1200 W 80 V	HP 1200W 80V G2	120 V	25,4 mm	120,7 mm	12,7 mm	
93734 1000 W 240 V	93734	240 V	20,0 mm	102,0 mm	27,0 mm	

Description produit	Durée de vie	Donnée produit supplémenta ire	Capacités	Classements spécifiques à chaque pays
	Durée de vie	Culot (désignation standard)	Position de fonctionnement	Code ANSI
64670 500 W 230 V	300 h	GY9.5	s 90	GCV/GVH
64670 500 W 240 V	300 h	GY9.5	s 90	GCV/GVH
64673 300 W 230 V	200 h	GY9.5	Universel	FSL
64673 300 W 240 V	200 h	GY9.5	Universel	FSK
64674 500 W 230 V	200 h	GY9.5	Universel	FRH
64674 500 W 240 V	200 h	GY9.5	Universel	FRJ
64678 800 W 230 V	250 h	G9.5	s 90	Other
64680 500 W 230 V	50 h	GY9.5	Universel	Other
64680 500 W 240 V	50 h	GY9.5	Universel	Other
64716 600 W 230 V	250 h	G9.5	s 90	GKV
64716 600 W 240 V	250 h	G9.5	s 90	GKV
64717 650 W 230 V	150 h	GY9.5	s 90	FRL
64717 650 W 240 V	150 h	GY9.5	s 90	Other
64718 650 W 230 V	400 h	GY9.5	s 90	GCK/GCT
64718 650 W 240 V	400 h	GY9.5	s 90	GCK/GCT
64719 650 W 230 V	750 h	GX9.5	s 90	Other
64720 650 W 230 V	100 h	GX9.5	s 90	Other
64721 650 W 230 V	100 h	G22	s 90	FKH
64743 1000 W 120 V	300 h	G9.5	Universel	FEL

Fiche de données gamme de produits

	Durée de vie	Donnée produit supplémentaire	Capacités	Classements spécifiques à chaque pays
Description produit	Durée de vie	Culot (désignation standard)	Position de fonctionnement	Code ANSI
64744 1000 W 230 V	750 h	GX9.5	s 90	FWP
64744 1000 W 240 V	750 h	GX9.5	s 90	FWP
64745 1000 W 230 V	200 h	GX9.5	s 90	FVA
64745 1000 W 240 V	200 h	GX9.5	s 90	FVA
64747 1000 W 230 V	200 h	G22	s 90	FKJ
64747 1000 W 240 V	200 h	G22	s 90	FKJ
64752 1200 W 230 V	400 h	GX9.5	s 90	FWS
64752 1200 W 240 V	400 h	GX9.5	s 90	FWS
64754 1200 W 230 V	200 h	GX9.5	s 90	Other
64756 1200 W 230 V	200 h	G22	s 90	Other
64777 2000 W 230 V	400 h	G22	s 90	Other
64787 2000 W 230 V	400 h	G22	s 90	Other
64788 2000 W 230 V	400 h	GY16	s 90	FTM
64788 2000 W 240 V	400 h	GY16	s 90	FTM
64789 2000 W 230 V	400 h	G38	s 90	FKK/FKP
64789 2000 W 240 V	400 h	G38	s 90	FKK/FKP
64796 2500 W 230 V	400 h	G22	s 90	Other
64805 5000 W 230 V	400 h	G38	s 90	Other
64805 5000 W 240 V	400 h	G38	s 90	Other
64815 10000 W 230 V	350 h	G38	Other	Other
64818 20000 W 230 V	350 h	G38	Other	Other
93723 1200 W 80 V	300 h	G22	Other	Other
93734 1000 W 240 V	300 h	G9.5	Universel	FEP

		Données logistiques	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Description produit	LIF	EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64670 500 W 230 V	T/25	4008321624017	22-04-2024	4008321624017
64670 500 W 240 V	T/25	4008321624031	22-04-2024	4050300283449 4008321624031
64673 300 W 230 V	CP/81	4052899015463	05-03-2024	4008321099785 4052899015463
64673 300 W 240 V	CP/81	4052899015487	05-03-2024	4008321099808 4008321131263 4052899015487
64674 500 W 230 V	CP/82	4052899015500	05-03-2024	4008321099822 4052899015500
64674 500 W 240 V	CP/82	4052899015524	22-04-2024	4008321099846 4052899015524
64678 800 W 230 V		4008321624055	22-04-2024	4050300609102 4008321624055

Fiche de données gamme de produits

		Données logistiques	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Description produit	LIF	EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64680 500 W 230 V	A1/244	4008321098573	22-04-2024	4008321098573
64680 500 W 240 V	A1/244	4008321098597	22-04-2024	4008321098597
64716 600 W 230 V		4008321623973	22-04-2024	4008321623973
64716 600 W 240 V		4008321623997	22-04-2024	4008321623997
64717 650 W 230 V	CP/89	4008321624215	22-04-2024	4050300296692 4008321624215
64717 650 W 240 V	CP/89	4008321624239	22-04-2024	4008321624239
64718 650 W 230 V	T/27	4008321624253	22-04-2024	4008321624253
64718 650 W 240 V	T/27	4008321624277	22-04-2024	4008321624277
64719 650 W 230 V	T/12	4008321638076	22-04-2024	4008321638076
64720 650 W 230 V	CP/23	4008321638090	22-04-2024	4050300017716 4008321638090
64721 650 W 230 V	CP/39	4008321638113	22-04-2024	4008321638113
64743 1000 W 120 V		4008321225702	22-04-2024	4008321225702
64744 1000 W 230 V	T/19	4008321554833	22-04-2024	4008321554833
64744 1000 W 240 V	T/19	4008321554857	22-04-2024	4008321554857
64745 1000 W 230 V	CP/70	4008321468611	22-04-2024	4008597083105 4008321468611
64745 1000 W 240 V	CP/70	4008321468659	22-04-2024	4008321088901 4008321468659
64747 1000 W 230 V	CP/71	4008321468635	22-04-2024	4008321046949 4008321468635 4062172147071
64747 1000 W 240 V	CP/71	4008321468741	22-04-2024	4008321116895 4008321468741
64752 1200 W 230 V	T/29	4008321624475	22-04-2024	4008321624475
64752 1200 W 240 V	T/29	4008321624499	22-04-2024	4008321624499
64754 1200 W 230 V	CP/90	4008321624529	22-04-2024	4008321624529
64756 1200 W 230 V	CP/93	4008321624550	22-04-2024	4008597000379 4050300296722 4008321624550
64777 2000 W 230 V	CP/92	4008321632197	22-04-2024	4008321632197
64787 2000 W 230 V	CP/75	4008321653994	22-04-2024	4008321653994
64788 2000 W 230 V	CP/72	4008321632173	22-04-2024	4008321632173
64788 2000 W 240 V	CP/72	4008321632180	22-04-2024	4050300283258 4008321098870 4008321632180
64789 2000 W 230 V	CP/73	4008321654021	22-04-2024	4050300219103 4008321654021
64789 2000 W 240 V	CP/73	4008321654038	22-04-2024	4008321089939 4008321654038
64796 2500 W 230 V	CP/91	4008321653987	22-04-2024	4050300406428 4008321653987
64805 5000 W 230 V	CP/85	4052899129566	05-03-2024	4052899129566

Fiche de données gamme de produits

		Données logistiques	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Description produit	LIF	EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64805 5000 W 240 V	CP/85	4052899129573	05-03-2024	4050300283401 4008321088895 4008321664532 4052899129573
64815 10000 W 230 V	CP/83	4050300780696	05-03-2024	4050300780696
64818 20000 W 230 V	CP/99	4008321792051	05-03-2024	4050300782713 4008321792051
93723 1200 W 80 V	CP/110	4008321370594	22-04-2024	4008321370594
93734 1000 W 240 V	CP/77	4050300350073	22-04-2024	4050300350073

Description produit	Candidate List Substance 1	Declaration No. in SCIP database
64670 500 W 230 V	No declarable substances contained	No declarable substances contained
64670 500 W 240 V	No declarable substances contained	In work
64673 300 W 230 V	No declarable substances contained	No declarable substances contained
64673 300 W 240 V	No declarable substances contained	No declarable substances contained
64674 500 W 230 V	No declarable substances contained	No declarable substances contained
64674 500 W 240 V	No declarable substances contained	No declarable substances contained
64678 800 W 230 V	No declarable substances contained	In work
64680 500 W 230 V	No declarable substances contained	No declarable substances contained
64680 500 W 240 V	No declarable substances contained	No declarable substances contained
64716 600 W 230 V	No declarable substances contained	No declarable substances contained
64716 600 W 240 V	No declarable substances contained	No declarable substances contained
64717 650 W 230 V	No declarable substances contained	In work
64717 650 W 240 V	No declarable substances contained	No declarable substances contained
64718 650 W 230 V	No declarable substances contained	No declarable substances contained
64718 650 W 240 V	No declarable substances contained	No declarable substances contained
64719 650 W 230 V	No declarable substances contained	No declarable substances contained
64720 650 W 230 V	No declarable substances contained	In work

Fiche de données gamme de produits

Description produit	Candidate List Substance 1	Declaration No. in SCIP database
64721 650 W 230 V	No declarable substances contained	No declarable substances contained
64743 1000 W 120 V	No declarable substances contained	No declarable substances contained
64744 1000 W 230 V	No declarable substances contained	No declarable substances contained
64744 1000 W 240 V	No declarable substances contained	No declarable substances contained
64745 1000 W 230 V	No declarable substances contained	In work
64745 1000 W 240 V	No declarable substances contained	No declarable substances contained
64747 1000 W 230 V	No declarable substances contained	In work
64747 1000 W 240 V	No declarable substances contained	No declarable substances contained
64752 1200 W 230 V	No declarable substances contained	No declarable substances contained
64752 1200 W 240 V	No declarable substances contained	No declarable substances contained
64754 1200 W 230 V	No declarable substances contained	No declarable substances contained
64756 1200 W 230 V	No declarable substances contained	In work
64777 2000 W 230 V	No declarable substances contained	No declarable substances contained
64787 2000 W 230 V	No declarable substances contained	No declarable substances contained
64788 2000 W 230 V	No declarable substances contained	No declarable substances contained
64788 2000 W 240 V	No declarable substances contained	In work
64789 2000 W 230 V	No declarable substances contained	In work
64789 2000 W 240 V	No declarable substances contained	No declarable substances contained
64796 2500 W 230 V	No declarable substances contained	In work
64805 5000 W 230 V	No declarable substances contained	No declarable substances contained
64805 5000 W 240 V	No declarable substances contained	No declarable substances contained
64815 10000 W 230 V	No declarable substances contained	No declarable substances contained
64818 20000 W 230 V	No declarable substances contained	In work
93723 1200 W 80 V	No declarable substances contained	No declarable substances contained

Fiche de données gamme de produits

Description produit	Candidate List Substance 1	Declaration No. in SCIP database
93734 1000 W 240 V	No declarable substances contained	No declarable substances contained

Fiche de données gamme de produits

Consignes de sécurité

Pour éviter des dommages corporels ou matériels, les lampes halogènes ne peuvent fonctionner que dans les luminaires appropriés conçus avec des mécanismes appropriés (grilles etc.) pour garantir qu'en cas d'éclatement de la lampe, aucune pièce/aucun débris ne puisse s'échapper. Un panneau d'avertissement doit indiquer que les lampes émettent un niveau élevé de chaleur. De plus amples informations sont disponibles sur demande.

Conseil d'application

Pour plus d'informations sur les applications et les graphiques, veuillez vous référer à la fiche de données produit.

Références/Liens

Un résumé des lampes de studio se trouve sur le poster des lampes halogènes studio.
Pour de plus amples informations sur les lampes halogènes pour le studio, la scène et la TV, voir la brochure :
Liste de références croisées "Good news for show business"
"Halogen High Voltage Lamps"

Avertissement

Sous réserve de modifications. Sauf erreur ou omission. Veuillez à toujours utiliser la version la plus récente.