

ORIGINAL LINE HIR1

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Order reference	9011
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	70 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	65.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	2500 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Diameter	11.3 mm
Product weight	19.65 g
Length	75.0 mm

Lifespan

Lifespan B3	220 h
Lifespan Tc	300 h

Additional product data

Base (standard designation)	PX20d
-----------------------------	-------

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	HIR1
--------------	------

Country specific categorizations

Order reference	9011
-----------------	------

Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4008321863966
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321863966	ORIGINAL LINE HIR1	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm ³	26.00 g
4008321863973	ORIGINAL LINE HIR1	Bundle 10	235 mm x 94 mm x 71 mm	1.57 dm ³	260.00 g
4008321863980	ORIGINAL LINE HIR1	Shipping carton box 100	478 mm x 248 mm x 164 mm	19.44 dm ³	2832.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	360 Degree Image ORIGINAL HIR1 9011

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM