OSRAM

ORIGINAL LINE HB3A

Original spare part





The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Order reference	9005XS	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data

Power input	73 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1860 lm	
Luminous flux tolerance	±12 %	

Dimensions & weight

Diameter	12.0 mm
Product weight	18.20 g
Length	83.5 mm

Lifespan

Lifespan B3	280 h
Lifespan Tc	550 h

Additional product data

Base (standard designation)	P20d
-----------------------------	------

Capabilities

Technology	HAL
------------	-----

Certificates & standards

Country specific categorizations

Order reference 9005XS

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of Declaration	05-03-2024	
Primary Article Identifier	0046135320408 4050300532387 0046135314872 4052899982567	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899982567	ORIGINAL LINE HB3A	Folding carton box 1	46 mm x 46 mm x 68 mm	0.14 dm³	23.00 g
4052899982574	ORIGINAL LINE HB3A	Bundle 10	92 mm x 230 mm x 68 mm	1.44 dm³	229.00 g
4052899982581	ORIGINAL LINE HB3A	Shipping carton box 100	478 mm x 249 mm x 168 mm	20.04 dm ³	2662.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
B	360 Degree Image ORIGINAL HB3A 9005XS

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















