

Fiche de données produit

P DIM LINE R7s 15 W/827 R7s

PARATHOM DIM LINE R7s | Double-ended special LED lamps



- General illumination within ambient temperatures from -20...+40 °C Hospitality Domestic applications Outdoor applications only in suitable luminaires

- Fits into most R7s luminaires thanks to excentric base Good all-around light emission Lower thermal output (compared with the standard reference product) Five year guarantee



Fiche de données produit

Fiche technique

Données électriques

Fréquence de fonctionnement	50...60 Hz
Intensité nominale	69 mA
Puissance équivalente à une lampe	125 W


Données photométriques

Teinte de couleur (désignation)	Warm White
Flux lumineux	2000 lm

Données photométriques

Angle de rayonnement	300 °
----------------------	-------

Dimensions & poids



Longueur totale	118.00 mm
Poids du produit	97.5 g

Température

Plage de température ambiante	-20...+40 °C
-------------------------------	--------------

Durée de vie

Maintien du flux lumineux en fin de vie	0.7
---	-----

Donnée produit supplémentaire

Teneur en mercure	0.0 mg
Sans mercure	Yes
Design / version	Clear
Élimination appropriée cft DEEE	Oui

Fiche de données produit

Certificats & Normes

Classe d'énergie efficace	E
Consommation d'énergie	15.00 kWh/1000h

Classements spécifiques à chaque pays

Système codage internationale de lampe	DRDG-15/827-230-R7s-114,2
--	---------------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075811850
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Données logistiques

Code produit	Description produit	Unité d'emballage (Pièces/Unité)	Dimensions (longueur x largeur x hauteur)	Volume	Poids brut
4058075811850	P DIM LINE R7s 15 W/827 R7s	Carton de regroupement 20 Pieces Etui carton fermé	159 mm x 129 mm x 131 mm	2.69 dm ³	2014.00 g

Le code produit mentionné décrit la petite quantité d'unité qui peut être commandée. Une unité peut contenir un ou plusieurs produits. Lorsque vous passez la commande, merci de bien vouloir entrer une unité ou un multiple d'une unité.

Avertissement

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany