

# Fiche de données produit

## DULUX S LED EM 4.5 W/840 G23

OSRAM DULUX S LED EM | LED replacement for short CFLni, with 2-pin G23 base for CCG and AC mains operation



- Supermarkets and department stores Walkways and corridors Hotels, restaurants

- Quick, simple and safe replacement without rewiring Low energy consumption Easy relamping thanks to compact design Operation directly on 230 V AC mains possible



# Fiche de données produit

## Fiche technique

### Données électriques

Fréquence de fonctionnement	50/60 Hz
Intensité nominale	21 mA
Puissance équivalente à une lampe	9 W

### Données photométriques

Teinte de couleur (désignation)	Cool White
Flux lumineux	500 lm

### Données photométriques

Angle de rayonnement	140 °
----------------------	-------

### Dimensions & poids



Longueur totale	165.00 mm
Poids du produit	39.00 g

### Température

Plage de température ambiante	-20...+50 °C
-------------------------------	--------------

### Durée de vie

Maintien du flux lumineux en fin de vie	0.7
-----------------------------------------	-----

### Donnée produit supplémentaire

Teneur en mercure	0.0 mg
Design / version	Frosted
Élimination appropriée cft DEEE	Oui
Code EAN de remplacement	4058075135307

## Fiche de données produit

### Certificats & Normes

Classe d'énergie efficace	E
Consommation d'énergie	5.00 kWh/1000h

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075558045
Declaration No. in SCIP database	In work

### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

### Données logistiques

Code produit	Description produit	Unité d'emballage (Pièces/Unité)	Dimensions (longueur x largeur x hauteur)	Volume	Poids brut
4058075558045	DULUX S LED EM 4.5 W/840 G23	Carton de regroupement 10 Pieces Etui carton fermé	114 mm x 79 mm x 182 mm	1.64 dm <sup>3</sup>	712.00 g

Le code produit mentionné décrit la petite quantité d'unité qui peut être commandée. Une unité peut contenir un ou plusieurs produits. Lorsque vous passez la commande, merci de bien vouloir entrer une unité ou un multiple d'une unité.

### Avertissement

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany