# OSRAM LEDguardian ROAD FLARE Signal V16 IoT





**DGT 3.0 certified** Approved according to DGT 3.0 regulations



Smart and connected Enables real-time localization and anonymous data transfer to the DGT 3.0 platform in the event of an emergency



Magnetic mounting Due to the magnetic function the LED warning light can be conveniently attached to the car



Protection class: IP54 Withstand varying outdoor conditions like rain, snow or foq



#### Light is safety - See and be seen with OSRAM

The LEDguardian ROAD FLARE Signal V16 IoT is a regulatory warning light that is certified, approved and connected to the DGT 3.0 network in Spain. Its use will be mandatory in Spain starting January 1, 2026, replacing the current warning triangles<sup>1)</sup>. The warning light with an integrated SIM card, anonymously transfers data to the DGT 3.0 platform, signaling the vehicle's position without the need for the driver to get out of the vehicle. The connection with the DGT 3.0 platform, enables real-time localization and transmits immediately crucial information about a potentially dangerous situation in road traffic to other drivers' navigators and to nearby variable public information panels. Equipped with a magnetic attachment, battery indicator, and a 9V battery included, it's designed for

quick and fast mounting. With a simple on/off switch, this energy-efficient warning light offers a long lifespan and modern design, making it an essential addition to your road safety kit. Additionally, OSRAM offers a 12-year guarantee<sup>2)</sup>.

#### Technical data

	Product information General Product Information			Electrical Data			
Product description	Application (Category and Product specific)	Global order reference		Nominal voltage		Nominal wattage	
LEDguardian	Warning and safety lights	LEDSL105		9 V		4 W	
	Photometric Data	Photometric Data Physical Attributes & Dimensions			15		
Product description	Color temperature	Light color H LED	leight		Width		
LEDguardian	1900 K	Orange 6	60.0 mm	m 84.0 mm			
				Lifetime Data	Capabili	ties	
Product description	Length	Product weight		Guarantee	Technol	ogy	
LEDguardian	84.0 mm	200.00 g		12 years	LED		
	Environmental & Regul Information according Regulation (EC) 1907/2	Art. 33 of EU					
Product description	Candidate list substance 1	Declaration no. in SCIP database	n				
LEDguardian	No declarable substances contained	No declarable substances conta	ained				

#### Download Data

	File
*	User instruction LEDguardian ROAD FLARE Signal V16 IoT
7	User instruction LEDguardian ROAD FLARE Signal V16 IoT
7	User instruction GPRS_Safety symbols instructions

#### Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

#### Legal advice

1) Please observe any special requirements and laws in countries outside Spain regarding the use and operation of an additional warning light in road traffic2) For precise conditions please refer to: www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.