


LEDDriving SLT C5W 6430



LED replacement lamp with a color temperature of up to 5,800 K

Modern and intense uniform illumination



Replaces all conventional C5W 24V lamp bases

Easy upgrade to LED technology with plug & play solution



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for Festoon types

LEDDriving SLT C5W replacement lamps offer a modern and intense light with a color temperature up to 5,800 Kelvin. These replacement lamps are suitable for all conventional C5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDDriving SLT lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

Product description	Product information		General Product Information	Electrical Data		
	Product type (off-road vs. on-road)	Application (Category and Product specific)	Global order reference	Test voltage	Power input tolerance	Nominal wattage
LEDiving SLT ≙C5W	Off-road ≙ C5W	Mainly used for signal/ indicator/ interior applications	6430DWP	28.0 V	±30 %	0 W

Product description	Nominal voltage	Photometric Data			Physical Attributes & Dimensions
		Color temperature	Luminous flux tolerance	Light color LED	Product weight
LEDiving SLT ≙C5W	24 V	5700 K	±30 %	Cool white	2.50 g

Product description	Length	Lamp base	Diameter	Diameter
LEDiving SLT ≙C5W	30.5 mm	SV8.5-8	10.8 mm	10.8 mm

Product description	Lifetime Data			Capabilities
	Lifespan Tc	Guarantee	Lifespan B3	Technology
LEDiving SLT ≙C5W	3000 hr	4 years	1500 hr	LED

Product description	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Primary article identifier	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
LEDiving SLT ≙C5W	4062172409742 4062172410717	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration no. in SCIP database
LEDiving SLT ≙C5W	0fd2ac83-4fa2-4d27-8c07-aa485c674ae4 e79a80ca-86f9-4cbf-a93d-2b08ac355d3e

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Safety advice

Application advice:For more detailed application information and graphics please see product datasheet and user manual.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

