## **OSRAM**

# LEDinspect TWIST 450

### Inspection lights





## Multi-Angle Flex & Twist

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



450 Lumen

2 light functions:Up to 450lm -highUp to 250lm -low



#### 2in1

Inspection light & Torchlight function



#### 2-year OSRAM Guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers



### Light is versatile

With the TWIST 450 you have the possibility to easily control the direction of the light beam. A light output of up to 450 lumens and a colour temperature of up to 6000K, make the TWIST 450 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product\*

### Product family datasheet

### Technical data

	Product information General Product Ele Information		Electrical Dat	Electrical Data			
Product description	Application (Category and Product specific)	Global order reference		Nominal wattage		Nominal voltage	
INSPECTION LAMP	LED inspection lights	LEDIL412C		6 W		5 V	
	Photometric Data				Physic Dimen	al Attributes &	
Product description	Color temperature	Nominal luminous flux		Light color LED	Product weight		
INSPECTION LAMP	ON LAMP 6000 K 450 lm White		White	280.00 g			
						LED module information	
Product description	Length	Width		Height		Number of LEDs per module	
INSPECTION LAMP	28.0 mm	45.0 mm		230.0 mm		1	
	Colors & materials	Lifetime Data	Addition	itional product data			
Product description	Base color	Guarantee	Type of Battery		Number of included batteries		
INSPECTION LAMP	Black / Orange	2 years	Recharg	jeable	1		
		Capabilities		Certificates & standards		Logistical data	
Product description	Scope of battery	Technology	IK Class		Watt hour per battery		
INSPECTION LAMP	Yes	LED	IK09		8.14		
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)						
Product description	Candidate list substance 1	CAS No. of su	bstance	Safe use instr	uction	Declaration no. in SCIP database	
INSPECTION LAMP	Lead	7439-92-1		The identificathe Candidate substance is sufficient to a safe use of tharticle.	e List Illow	0438e4db-58f7- 4a06-b29d- 1619cb930f49	

### Product family datasheet

### Download Data

	File
**	User instruction LEDinspect TWIST 450
<b>X</b>	User instruction GPRS_Safety symbols instructions
D	Movie application LEDinspect Inspection Lights Trailer

### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and the user instruction.\* for precise conditions please refer to: www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.